

6. BIBLIOGRAFIA

1. Cheng DCH: Pro: Early extubation after cardiac surgery decreases intensive care unit stay and cost. *J Cardiothorac Vasc Surg* 1995; 9:460-4
2. Guenther CR: Con: Early extubation after cardiac surgery does not decrease intensive care unit stay and cost. *J Cardiothorac Vasc Anesth* 1995; 9:465-7
3. Cheng DCH, Karski J, Peniston C, Asokumar B, et al: Morbidity outcome in early versus conventional tracheal extubation following coronary artery bypass graft (CABG) surgery: A prospective randomized controlled trial. *J Thorac Cardiovasc Surg* 1996; 112:755-64
4. Cheng DCH, Karski J, Peniston C, Asokumar B, Raveendran G, David T, Sandler A: Early tracheal extubation after coronary artery bypass graft surgery reduces costs and improves resource use: A prospective randomized controlled trial. *Anesthesiology* 1996; 85:1300-10
5. London MJ, Shroyer AL, Coll JR, MaWhinney S, Fullerton DA, Hammermeister KE, Grove FL: Early extubation following cardiac surgery in a veterans population. *Anesthesiology* 1998; 88:1447-58
6. Alexander WA, Cooper JR Jr: Preoperative risk stratification identified low-risk candidates for early extubation after aorto-coronary bypass grafting. *Tex Heart Inst J* 1996; 23:267-269
7. Epstein S, Ciubotaru R, Wong J: Effect of failed extubation on the outcome of mechanical ventilation. *Chest* 1997; 112:186-192
8. Higgins TL, Estafanous FG, Loop FD, Beck GJ, Blum JM, Paranandi L: Stratification of morbidity and mortality outcome by preoperative risk factors in coronary artery bypass patients. A clinical severity score. *JAMA* 1992; 267:2344-8
9. Reyes A, Vega G, Blancas R, et al: Early vs. conventional extubation after cardiac surgery with cardiopulmonary bypass. *Chest* 1997; 112:193-201
10. Gross SB: Early extubation: Preliminary experience in the cardio-thoracic patient population. *Am J Crit Care* 1995; 4:262-266
11. Epstein SK: Etiology of extubation failure and the predictive value of the rapid shallow breathing index. *Am J Respir Crit Care Med* 1995; 152:545-549
12. Becker RB, Zimmerman JE, Knaus WA, Wagner DP, Seneff MG, Draper EA, Higgins TL, Estafanous FG, Loop FD: The use of APACHE III to evaluate ICU length of stay, resource use, and mortality after coronary artery by-pass surgery. *J Cardiovasc Surg* 1995; 36:1-11

13. Slogoff S, Keats AS: Does perioperative myocardial ischemia lead to postoperative myocardial infarction? *Anesthesiology* 1985; 62:107-14
14. Cheng DC, Chung F, Burns RJ, Houston PL, Feindel CM: Postoperative myocardial infarction documented by technetium pyrophosphate scan using single-photon emission computed tomography: Significance of intraoperative myocardial ischemia and hemodynamic control. *Anesthesiology* 1989; 71:818-26
15. Tuman KJ, McCarthy RJ, Spiess BD, Da Valle M, Dabir R, Ivankovich AD: Does choice of anesthetic agent significantly affect outcome after coronary artery surgery? *Anesthesiology* 1989; 70:189-98
16. Richard CH, Teboul JL, Archambaud F, et al: Left ventricular function during weaning of patients with chronic obstructive pulmonary disease. *Intensive Care Med* 1994; 20:181-186
17. Chatila W, Ani S, Guaglione D, et al: Cardiac ischemia during weaning from mechanical ventilation. *Chest* 1996; 109: 1577-1583
18. Cheng DCH, Wong DT, Kustra R, Karski J, Carroll-Munro J, Tibshirani RJ, Sandler AN: Predictors of prolonged extubation time (EXT) in CABG patients undergoing early extubation anaesthesia. *Can J Anaesth* 1997; 44:A9-A
19. Cheng DCH, Wong DT, Kustra R, Karski J, Carroll-Munro J, Tibshirani R: Predictors of ICU length of stay in CABG patients undergoing early extubation anaesthesia. *Anesth Analg* 1997; 84:SCA77
20. Westaby S, Pillai R, Parry A, O'Regan D, Giannopoulos N, Grebenik K, Sinclair M, Fisher A: Does modern cardiac surgery require conventional intensive care? *Eur J Cardiothorac Surg* 1993; 7:313-8
21. Chong JL, Grebenik C, Sinclair M, Fisher A, Pillai R, Westaby S: The effects of a cardiac surgical recovery area on the timing of extubation. *J Cardiothorac Vasc Anaesth* 1993; 7:137-41
22. Shapiro BA, Lichtenthal PR. Inhalation-based anesthetic techniques are the key to early extubation of cardiac surgical patients. *J Cardiothorac Vasc Anesth* 1993; 7: 135–6.
23. Cheng DC. Fast-track cardiac surgery: economic implications in postoperative care. *J Cardiothorac Vasc Anesth* 1998; 12: 72–9.
24. Leitch EA, Moran JL, Grealy B: Weaning and extubation in the intensive care unit. Clinical or index-driven approach? *Intensive Care Med* 1996; 22:752-759
25. London MJ, Shroyer AL, Jernigan V, et al. Fast-track cardiac surgery in a department of veterans affairs patient population. *Ann Thorac Surg* 1997; 64: 134–41

26. Arom KV, Emery RW, Peterson RJ, et al. Cost-effectiveness and predictors of early extubation. *Ann Thorac Surg* 1995; 60: 127–32.
27. Jindani A, Aps C, Neville E, et al. Postoperative cardiac surgical care: an alternative approach. *Br Heart J* 1993; 69: 59–64.
28. Silbert SB, Santamaria JD, O'Brien JL, et al. Early extubation following coronary artery bypass surgery. *Chest* 1998; 113: 1481–8.
29. Cheng DC. Fast track cardiac surgery pathways: early extubation, process of care, and cost containment. *Anesthesiology* 1998; 88: 1429–33.
30. Royse CF, Royse AG, Soeding PF. Routine immediate extubation after cardiac operation: a review of our first 100 patients. *Ann Thorac Surg* 1999; 68: 1326–9.
31. Walji S, Peterson RJ, Neis P, et al. Ultra-fast track hospital discharge using conventional cardiac surgical techniques. *Ann Thorac Surg* 1999; 67: 363–70.
32. Hammermeister KE, Burchfiel C, Johnson R, et al. Identification of patients at greatest risk for developing major complications at cardiac surgery. *Circulation* 1990; 82(suppl IV):IV-380-IV-389
33. Tuman KJ, McCarthy RJ, March RJ, et al. Morbidity and duration of ICU stay after cardiac surgery: a model for preoperative risk assessment. *Chest* 1992; 102:36-44
34. Higgins T, Estafanous FG, Loop FD, et al. Stratification of morbidity and mortality outcome by preoperative risk factors in coronary artery bypass patients: a clinical severity score. *JAMA* 1992; 267:2344-48
35. Engelman RM, Rousou JA, Flack JE, Deaton DW, Humphrey CB, Ellison LH, Allmendinger PD, Owen SG, Pekow PS: Fast-track recovery of the coronary bypass patient. *Ann Thorac Surg* 1994; 58:1742-6
36. Lee JH, Kim KH, vanHeeckeren DW, Murrell HK, Cmolik BL, Graber R, Effron B, Geha AS: Cost analysis of early extubation after coronary bypass surgery. *Surgery* 1996; 120:611-7
37. Habib RH, Zacharias A, Engoren M: Determinants of prolonged mechanical ventilation after coronary artery bypass grafting. *Ann Thorac Surg* 1996; 62:1164-71
38. Grover FL, Johnson RR, Marshall G, et al. Factors predictive of operative mortality among coronary artery bypass subsets. *Ann Thorac Surg* 1993; 56:1296-1307
39. Hannan EL, Kilburn H, O'Donnell JF, et al. Adult open heart surgery in New York state: an analysis of risk factors and hospital mortality rates. *JAMA* 1990; 264:2768-74

40. Aps C, Hutter JA, Williams BT. Anaesthetic management and postoperative care of cardiac surgical patients in a general recovery ward. *Anaesthesia* 1986; 41:533-37
41. Geraci JM, Rosen AK, Ash AS, et al. Predicting the occurrence of adverse events after coronary artery bypass surgery. *Ann Intern Med* 1993; 118:18-24
42. Hirose H, Amano A, et al: Coronary artery bypass grafting in the elderly. *Chest* 2000; 117: 271-292
43. Hickey RF, Cason BA. Timing of tracheal extubation in adult cardiac surgery patients. *J Card Surg* 1995; 10:340-48
44. Lichtenthal PR, Wade LD, Niemyski PR, et al. Respiratory management after cardiac surgery with inhalation anesthesia. *Crit Care Med* 1983; 11:603-05
45. Barash PG, Lescovich F, Katz JD, et al. Early extubation following pediatric cardiothoracic operation: a viable alternative. *Ann Thorac Surg* 1980; 29:228-33
46. Macintyre N: Mechanical ventilation. W.B. Saunders Company 2000
47. Manthous C: Liberation from mechanical ventilation. *Chest* 1998; 114: 886-901
48. Wong D: Risk factors of delayed extubation, prolonged length of stay in the UCI, and mortality in patients undergoing coronary, artery bypass graft with fast track cardiac anesthesia. A new cardiac risk score. *Anesthesiology* 1999; 91: 936-952
49. Mohamed Y: Perioperative predictors of extubation failure and the effect on clinical outcome after cardiac surgery. *Critical Care Medicine* 1999; 27:340-349
50. Shapira N, Zabatino SM, Ahmed S, Murphy DM, Sullivan D, Lemole GM: Determinants of pulmonary function in patients undergoing coronary bypass operations. *Ann Thorac Surg* 1990; 50:268-73
51. Belzberg H: Preoperative cardiac preparation. *Chest* 1999; 115: 82-94
52. Gelb AB, Roth RI, Levin J, London MJ, Noall RA, Hauck WW, Cloutier M, Verrier E, Mangano DT: Changes in blood coagulation during the following cardiopulmonary bypass: Lack of correlation with clinical bleeding. *Am J Clin Pathol* 1996; 106:87-99
53. Silver B: Early extubación following coronary artery bypass surgery. *Chest* 1998; 113:1481-1489
54. Midell AI, Skinner DB, DeBoer A, et al. A review of pulmonary problems following valve replacement in 100 consecutive patients. *Ann Thorac Surg* 1974; 18:219-27

55. Rabanal J: Anestesia en cirugía cardíaca. Actualizaciones en anestesiología y reanimación 1999; 9:47-73
56. Lefemine AA, Harken DE. Postoperative care following open-heart operations: routine use of controlled ventilation. J Thorac Cardiovasc Surg 1966; 52:207-16
57. Price J: Postoperative ventilatory management. Chest 1999; 115:130-138
58. Tuman KJ, McCarthy RJ, March RJ, Najafi H, Ivankovich AD: Morbidity and duration of ICU stay after cardiac surgery: A model for preoperative risk assessment. Chest 1992; 102: 36-44
59. Smith RC, Leung JM, Mangano DT, et al. Postoperative myocardial ischemia in patients undergoing coronary artery bypass graft surgery. Anesthesiology 1991; 74:464-73
60. Lahey SJ, Borlase BC, Lavin PT, Levitsky S: Preoperative risk factors that predict hospital length of stay in coronary artery bypass patients > 60 years old. Circulation 1992; 86: II181-5
61. Kirklin JW, Barrat-Boyes BG. Postoperative care. In: Cardiac surgery. 2nd ed. New York: Churchill-Livingstone, 1993; 195-247
62. Brochard L, Rauss A, Benito S, et al. Comparison of three methods of gradual withdrawal from ventilatory support during weaning from mechanical ventilation. Am J Respir Crit Care Med 1994; 150:896-903
63. DeHaven CB, Hurst JM, Branson RD. Evaluation of two different extubation criteria: attributes contributing to success. Crit Care Med 1986; 14:92-4
64. Sassoon CSH, Mahutte CK. Airway occlusion pressure and breathing pattern as predictors of weaning outcome. Am Rev Respir Dis 1993; 148:860-66
65. Mohsenifar Z, Hay A, Hay J, et al. Gastric intramural pH as a predictor of success or failure in weaning patients from mechanical ventilation. Ann Intern Med 1993; 119:794-98
66. Yang KL, Tobin MJ. A prospective study of indexes predicting the outcome of trials of weaning from mechanical ventilation. N Engl J Med 1991; 324:1445-50
67. Higgins TL: Pro: Early extubation is preferable to late extubation in patients undergoing coronary artery surgery. J Cardiothorac Vasc Anesth 1992; 6:488-93
68. Siliciano D: Early extubation is not preferable to late extubation in patients undergoing coronary artery surgery. J Cardiothorac Vasc Anesth 1992; 6:494-8

69. Hilberman M, Kamm B, Lamy M, et al. An analysis of potential physiological predictors of respiratory adequacy following cardiac surgery. *J Thorac Cardiovasc Surg* 1976; 71:711-20
70. Klineberg PL, Geer RT, Hirsh RA, Aukburg SJ: Early extubation after artery bypass graft surgery. *Crit Care Med* 1977; 5:272-4
71. Vallverdu I, Claf N, Subirana M, et al: Clinical characteristic, respiratory parameters, and outcome of a 2 hour t-piece trial in patients weaning from mechanical ventilation. *Am J Respir Crit Care Med* 1998; 158:1855-1862
72. Esteban A, Alia I, Gordo F, et al: Extubation outcome after spontaneous breathing trials with T-tube or pressure support ventilation. *Am J Respir Crit Care Med* 1997; 156:459-465
73. Mangano DT: Perioperative Cardiac Morbidity. *Anesthesiology* 1990; 72:153-84.
74. Nava S: Non invasive mechanical ventilation in the weaning of patients with respiratory failure due to chronic obstructive pulmonary disease. *Annals of internal medicine* 1998; 128:721-727
75. Jounieaux V: Synchronized intermittent mandatory ventilation with and without pressure support ventilation in weaning patients with COPD from mechanical ventilation. *Chest* 1994; 105: 1204-1211
76. Prakash O, Jonson B, Meij S, Bos E, Hugenholtz PG, Nauta J, Hekman W: Criteria for early extubation after intra-cardiac surgery in adults. *Anesth Analg* 1977; 56:703-8.
77. Quasha AL, Loeber N, Feeley TW, Ulyot DJ, Ro antibiotico izen MF: Postoperative respiratory care: A controlled trial of early and late extubation following coronary artery bypass grafting. *Anesthesiology* 1980; 52:135-41.
78. Foster GH, Conway WA, Pamulkov N, Lester JL, Magilligan DJ Jr: Early extubation after coronary artery bypass: A brief report. *Crit Care Medicine* 1984; 12:994-6.
79. Demling RH, Read T, Lind LJ, et al. Incidence and morbidity of extubation failure in surgical intensive care patients. *Crit Care Med* 1988; 16:573-77
80. Torres A, Gatell JM, Aznar E, et al. Re-intubation increases the risk of nosocomial pneumonia in patients needing mechanical ventilation. *Am J Respir Crit Care Med* 1995; 152:137-41
81. Lee KH, Hui KP, Chan TB, et al. Rapid shallow breathing (frequency-tidal volume ratio) did not predict extubation outcome. *Chest* 1994; 105:540-43
82. Esteban A, Frutos F, Tobin MJ, et al. A comparison of four methods of weaning patients from mechanical ventilation. *N Engl J Med* 1995; 332:345-50

83. Sahn SA, Lakshminarayan S. Bedside criteria for discontinuation of mechanical ventilation. *Chest* 1973; 63:1002-05
84. Tahvanainen J, Salmenpera M, Nikki P. Extubation criteria after weaning from intermittent mandatory ventilation and continuous positive airway pressure. *Crit Care Med* 1983; 11:702-07
85. Krieger BP, Ershowsky PF, Becker DA, et al. Evaluation of conventional criteria for predicting successful weaning from mechanical ventilatory support in elderly patients. *Crit Care Med* 1989; 17:858-61
86. Mazer CD, Byrick RJ, Sibbald WJ, Chovaz PM, Goodman SJ, Girotti MJ, Hall JK, Pagliarello J: Postoperative utilization of critical care services by cardiac surgery: A multicenter study in the Canadian healthcare system. *Crit Care Med* 1993; 21:851-9.
87. Sprung J, Abdelmalak B: Analysis of risk factors for myocardial infarction and cardiac mortality after major vascular surgery. *Anesthesiology* 2000; 93: 134-145
88. Miller J: *Anesthesia*. Fifth edition Churchill livingstone. 2000
89. Daganou M, Dimopoulou I: Respiratory complications after coronary artery bypass surgery with unilateral or bilateral internal mammary artery grafting. *Chest* 1998; 113: 233-245
90. Johnson D, Kelm CH: The effect of physical therapy on respiratory complications following cardiac valve surgery. *Chest* 1996; 109: 56-66
91. Anderson R, O'Brien M: Mild renal failure is associated with adverse outcome after cardiac valve surgery. *American Journal of Kidney Disease* 2000; 35: 111-119
92. Dimopoulou I, Daganou M: Phrenic nerve dysfunction after cardiac operations. *Chest* 1998: 78-89
93. Chung M: Cardiac surgery: Postoperative arrhythmias. *Critical Care Medicina*: 28: 45-60
94. Hogue CH, Filos K, Schuessler R: Sinus nodal function and risk for atrial fibrillation after coronary artery bypass graft surgery. *Anesthesiology* 2000; 92: 78-90
95. Milot J, Perron J, Lacasse Y: Incidence and predictors of ARDS after cardiac surgery. *Chest* 2001; 119: 1145-1156
96. Aziz S, Grover F: Cardiovascular surgery in the elderly. *Cardiology Clinics* 1999; 17: 456-467
97. Braunwald E: *Braunwald's heart disease: review and assessment*, Third Edition © W.B. Saunders Company; 1998

98. Chiara O, Giomarelli PP, Biagioli B, et al. Hypermetabolic response after hypothermic cardiopulmonary bypass. Crit Care Med 1987; 15:995-99
99. Tulla H, Takala J, Alhava E, et al. Hypermetabolism after coronary artery bypass. J Thorac Cardiovasc Surg 1991; 101:598-600
100. Stein KL, Breisblatt W, Wolfe C, et al. Depression and recovery of right ventricular function after cardiopulmonary bypass. Crit Care Med 1990; 18:1197-1200