

BIBLIOGRAFÍA.

1. Topol EJ. Acute Myocardial Infarction: Thrombolysis. Heart 2000;83:122-126.
2. Lincoff AM, Topol EJ. Illusion of reperfusion. Does anyone achieve optimal reperfusion during acute myocardial infarction? Circulation 1993;88:1361-1374.
3. Califf RM, Topol EJ, George BS, et al. Characteristics and outcome of patients in whom reperfusion with intravenous tissue-type plasminogen activator fase: results of the thrombolysis and angioplasty in myocardial infarction (TAMI) I Trial. (and the TAMI Study Group) Circulation 1988;77:1090-1099.
4. Steward JT, French JK, Theroux P, et al. Early noninvasive identification of failed reperfusion after intravenous thombolyc therapy in acute myocardial infarction. J Am Coll Cardiol 1998;31:1499-1505.
5. Davies CH, Ormerod OJN. Failed coronary thrombolysis. Lancet 1998;351:1191-1196.
6. The GUSTO Investigators. An international randomised trial comparing four thrombolytic strategies for acute myocardial infarction. N Engl J Med 1993;329:673-82.

7. Cannon CP. Overcoming thrombolytic resistance. Rational and initial clinical experience combining thrombolytic therapy and glycoprotein IIb-IIIa receptor inhibition for acute myocardial infarction. J Am Coll Cardiol 1999;34:1395-1402.
8. Fibrinolytic Therapy Trialists (FTT) Collaborative Group. Indications for fibrinolytic therapy in suspected acute myocardial infarction: collaborative overview of early mortality and major morbidity results from all randomised trials of more than 1000 patients. Lancet 1994;343:311-22.
9. Purcell IF, Newall N, Farrer N. Change in ST segment elevation 60 minutes after thrombolytic initiation predicts clinical outcome as accurately as later electrocardiographic changes. Heart 1997;78:465-471.
10. Sutton AGC, Campbell PG, Price DJA, et al. Failure of thrombolysis by streptokinase: detection with a simple electrocardiographic method. Heart 2000;84:149-156.
11. The GUSTO Angiographic Investigators. The effects of tissue plasminogen activator, streptokinase, or both on coronary artery patency, ventricular function and survival after acute myocardial infarction. N Engl J Med 1993;329:1615-22.

12. The TIMI Study Group. The thrombolysis in myocardial infarction (TIMI) trial: Phase 1 findings. N Engl J Med 1985;312:932-6.
13. Simes RJ, Topol EJ, Holmes DR, et al. For the Gusto-I investigators. Link between the angiographic substudy and mortality outcomes in a large randomised trial of myocardial reperfusion. Circulation 1995;91:1923-8.
14. Karagounis L, Sorensen SG, Menlove RL, et al. Does thrombolysis in myocardial infarction (TIMI) perfusion grade 2 represent a mostly patent artery or a mostly evidence from the TEAM-2 study. Second multicenter thrombolysis trial of eminease in acute myocardial infarction. J Am Coll Cardiol 1992;19:1-10.
15. Anderson JL, Karagounis LA, Becker LC, et al, and the TEAM-3 Investigators. TIMI perfusion grade 3 but not grade 2 results in improved outcome after thrombolysis for myocardial infarction: ventriculographic, enzymatic and electrocardiographic evidence from the TEAM-3 study. Circulation 1993;87:1829-39.
16. Anderson JL, Karagounis LA, Califf RM. Metaanalysis of five reported studies on the relation of early coronary patency grades with mortality and outcomes after acute myocardial infarction. Am J Cardiol 1996;78:1-8.

17. Zijlstra F, de Boer MJ, Hoorntje JC et al. A comparison of immediate angioplasty with intravenous streptokinase in acute myocardial infarction. N Engl J Med 1993;328:680-4.
18. TIMI Research Group. Immediate versus delayed catheterization and angioplasty following thrombolytic therapy of acute myocardial infarction. J Am Med Assoc 1988;260:2849-59.
19. Kok Meng Yee, Pringle SD. Failure of reperfusion following thrombolysis in acute myocardial infarction: a survey of current views and clinical practice. Br J Cardiol 1998;5:35-40.
20. Ito H, Tomooka T, Sakay N, et al. Lack of myocardial perfusion immediately after successful thrombolysis: a predictor of poor recovery of left ventricular function in anterior myocardial infarction. Circulation 1992;85:1699-705.
21. De Belder , Mark A. Acute myocardial infarction: failed thrombolysis. Heart 2001;85:104-112.
22. Gibson et al. Relationship of the TIMI Myocardial Perfusion Grades, Flow Grades, Frame Count, and PCI to Long-Term Outcomes after Thrombolytic Administration in Acute Myocardial Infarction. Circulation 2002;105:1909-13.

23. van't Hof A, Liem A, de Boer M, Zijlstra F. Clinical value of 12-lead electrocardiogram after succesful reperfusion therapy for acute myocardial infaction. Lancet 1997;350:615-619.