

## REFERENCIA BIBLIOGRÁFICA

1. **Meschia, James F. MD.** "Management of acute ischemic stroke. What is the role of tPA and antithrombotic agents?" Vol 107 / N° 6 / May 15, 2000 / POSTGRADUATE MEDICINE.
2. **National Institute of Neurological Disorders and Stroke**, "Accidente Cerebrovascular: Esperanza en la Investigación" 2001.  
[www.ninds.org/acv.htm](http://www.ninds.org/acv.htm)
3. **Bargiela, Carlos Antonio, Ma. Bargiela.** "Accidente Cerebro Vascular". Revista de la Sociedad de Medicina Interna de Buenos Aires, 2000.  
[www.drwebsa.com.ar/smiba/med\\_inerna/vol\\_02/02\\_05.htm](http://www.drwebsa.com.ar/smiba/med_inerna/vol_02/02_05.htm)
4. **National Institute of Neurological Disorders and Stroke rt-PA Stroke Study Group.** Tissue plasminogen activator for acute ischemic stroke. N Engl J Med 1995;333(24):1581-7
5. **Kwiatkowski TG, Libman RB, Frankel M, et al.** Effects of tissue plasminogen activator for acute ischemic stroke at one year. N Engl J Med 1999;340(23):1781-7
6. **Hacke W, Kaste M, Fieschi C, et al.** Randomised double-blind placebo-controlled trial of thrombolytic therapy with intravenous alteplase in acute ischaemic stroke (ECASS II). Lancet 1998;352(9136):1245-51
7. **Lyden P, Brott T, Tilley B, et al.** Improved reliability of the NIH Stroke Scale using video training. Stroke 1994;25(11):2220-6
8. **Quality Standards Subcommittee of the American Academy of Neurology.** Practice advisory: thrombolytic therapy for acute ischemic stroke--summary statement. Neurology 1996;47(3):835-9
9. **Albers GW, Bates VE, Clark WM, et al.** Intravenous tissue-type plasminogen activator for treatment of acute stroke: the Standard Treatment for Alteplase to Reverse Stroke (STARS) study. JAMA 2000;283(9):1145-50
10. **Brott T, Lu M, Kathari R, et al.** Hypertension and its treatment in the NINDS rt-PA Stroke Trial. Stroke 1998;29(8):1504-9

11. **National Institute of Neurological Disorders and Stroke (NINDS) rt-PA Stroke Study Group.** A systems approach to immediate evaluation and management of hyperacute stroke: experience at eight centers and implications for community practice and patient care. *Stroke* 1997;28(8):1530-40
12. **Furlan A, Higashida R, Wechsler L, et al.** Intra-arterial prourokinase for acute ischemic stroke: the PROACT II study. *JAMA* 1999;282(21):2003-11
13. **Gonner F, Remonda L, Mattle H, et al.** Local intra-arterial thrombolysis in acute ischemic stroke. *Stroke* 1998;29(9):1894-900
14. **International Stroke Trial Collaborative Group.** The International Stroke Trial (IST): a randomised trial of aspirin, subcutaneous heparin, both, or neither among 19 435 patients with acute ischaemic stroke. *Lancet* 1997;349(9065):1569-81
15. **CAST (Chinese Acute Stroke Trial) Collaborative Group.** CAST: randomised placebo-controlled trial of early aspirin use in 20 000 patients with acute ischaemic stroke. *Lancet* 1997;349(9066):1641-9
16. **Dippel DW.** The results of CAPRIE, IST and CAST. *Thromb Res* 1998;92(1 Suppl 1):S13-6
17. **Adams HP Jr, Bendixen BH, Leira E, et al.** Antithrombotic treatment of ischemic stroke among patients with occlusion of severe stenosis of the internal carotid artery: a report of the Trial of Org 10172 in Acute Stroke Treatment (TOAST). *Neurology* 1999;53(1):122-5
18. **EAFT (European Atrial Fibrillation Trial) Study Group.** Secondary prevention in non-rheumatic atrial fibrillation after transient ischaemic attack or minor stroke. *Lancet* 1993;342(8882):1255-62
19. **Lip GY, Beevers DG.** Interpretation of IST and CAST stroke trials. (Letter) *Lancet* 1997;350(9075):442-3
20. **Alberts MJ.** t-PA in acute ischemic stroke: United States experience and issues for the future. *Neurology* 1998;51(3 Suppl 3):S53-5

21. **DePippo KL, Holas MA, Reding MJ.** Validation of the 3-oz water swallow test for aspiration following stroke. Arch Neurol 1992;49(12):1259-61
22. **Turpie AG.** Prophylaxis of venous thromboembolism in stroke patients. Semin Thromb Hemost 1997;23(2):155-7
23. **Teasdale G, Jennett B.** Assessment of coma and impaired consciousness: a practical scale. Lancet 1974;2(7872):81-4
24. **Carter BS, Ogilvy CS, Candia GJ, et al.** One-year outcome after decompressive surgery for massive nondominant hemispheric infarction. Neurosurgery 1997;40(6):1168-76
25. **Kwakkel G, Wagenaar RC, Koelman TW, et al.** Effects of intensity of rehabilitation after stroke: a research synthesis. Stroke 1997;28(8):1550-6
26. **Stroke Unit Trialists' Collaboration.** Collaborative systematic review of the randomised trials of organised inpatient (stroke unit) care after stroke. BMJ 1997;314(7088):1151-9
27. **Stroke Unit Trialists' Collaboration.** How do stroke units improve patient outcomes? A collaborative systematic review of the randomized trials. Stroke 1997;28(11):2139-44
28. **Alberts MJ, Chaturvedi S, Graham G, et al.** Acute stroke teams: results of a national survey. Stroke 1998;29(11):2318-20
29. **Hachinski V.** Thrombolysis in acute stroke. Arch Neurol 1996;53(12):1308.
30. **Bayona Hernán, Toro Jaime.** Guías de Manejo de Trombolisis. Página web. Mayo. 2002.
31. **Mellado T. Patricio.** Enfermedad Cerebrovascular. Apuntes de Medicina Intensiva. PUC Chile. Facultad de Medicina. Programa de Medicina Intensiva. Abril, 2002.  
<http://escuela.med.puc.cl/paginas/publicaciones/medicinaintensiva/enfermedad.html>.